

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)	
	:	Examiner: P. K. Nguyen
YOSHIO IIZUKA, ET AL.	)	
	:	Group Art Unit: 2673
Application No.: 10/699,801	)	
	:	Confirmation No.: 4025
Filed: November 4, 2003	)	
	:	
For: STEREOSCOPIC-IMAGE DISPLAY	)	November 9, 2007
APPARATUS	:	
	)	
U.S. Patent No. 7,064,754 B2	:	
	)	
Issued: June 20, 2006	:	

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

REQUEST FOR  
CERTIFICATE OF CORRECTION  
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes and mistakes which are not the fault of the Patent and Trademark Office. A Certificate of Correction form is attached.

The statutory fee of \$100.00 is being paid electronically. Any additional fee required by this paper may be charged to Deposit Account No. 06-1205.

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our below-listed address.

Respectfully submitted,

/Scott D. Malpede/

---

Scott D. Malpede  
Attorney for Patentees  
Registration No. 32,533

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200

SDM/vnm

FCHS\_WS 1107653v1

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,064,754 B2

DATED : June 20, 2006

INVENTOR(S) : YOSHIO IIZUKA, ET AL.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**[75] INVENTORS:**

“Yoshio Iizuka, Kanagawa-ken (JP); Tomoaki Kawai, Kanagawa-ken (JP)” should read --Yoshio Iizuka, Kanagawa (JP); Tomoaki Kawai, Kanagawa (JP)--.

**COLUMN 15:**

Line 58, “Let” should read --Left--.

**COLUMN 17:**

Line 28, “Let” should read --Left--.

**COLUMN 43:**

Line 23, “dr” should read --or--.

**COLUMN 46:**

Line 58, “ins” should read --in--.  
Line 59, “aid” should read --said--.

**MAILING ADDRESS OF SENDER:**

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

**PATENT NO. 7,064,754 B2**

No. of add'l. copies  
@ 30¢ per page

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,064,754 B2

DATED : June 20, 2006

INVENTOR(S) : YOSHIO IIZUKA, ET AL.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 47:

Line 26, "pair" should read --a pair--.

COLUMN 48:

Line 10, "respectively" should read --respective--.

FCHS\_WS 1107653v1

**MAILING ADDRESS OF SENDER:**

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

**PATENT NO. 7,064,754 B2**

No. of add'l. copies  
@ 30¢ per page

